

Interflon Lube PN68

Version number:
6.0
Replaces version: 5:

Date of issue
2025-03-27

Revision: 2025-03-27

1 Identification**1.1 Product identifier**

Trade name **Interflon Lube PN68**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial use
Applications lubricant

1.3 Details of the supplier of the safety data sheet

Interflon BV
Belder 47
4704 RK Roosendaal
Netherlands

Telephone: +31 (0)165 553911
e-mail: Service@Interflon.com
Website: www.Interflon.com

e-mail (competent person) Service@Interflon.com

1.4 Emergency telephone number

+31 (0)165 55 39 11 (Monday to Friday from 8:30am to 17:00pm).

2 Hazard identification**2.1 Classification of the substance or mixture**

Classification acc. to GHS
This mixture does not meet the criteria for classification.

2.2 Label elements

Labeling
not required

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Substance of Very High Concern (SVHC)

This product does not contain "very worrisome substances" (SVHC) that are very dangerous to human health or the environment. (SVHC <0.1% (w / w) Regulation (EC) No. 1907/2006 (REACH), Article 57).

SVHC according to Regulation REACH), Annex XIV

This product does not contain 'Substances of Very High Concern' (SVHC) which are very hazardous to human health or the environment. (SVHC <0.1% (w/w) Regulation (EC) No. 1907/2006 (REACH), Article 57).

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

3 Composition/ Information on ingredients**3.1 Substances**

Not relevant (mixture)

3.2 Mixtures

Product description Mixture of mineral oils, additives and MicPol®

Interflon Lube PN68

Version number: 6.0
Replaces version of: 2025-03-27 (5)

date of issue
2025-03-27

Revision: 2025-03-27

Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Distillates (petroleum), hydro-treated middle	CAS No 64742-46-7	< 0.1	Asp. Tox. 1 / H304	N
Distillates (petroleum), hydro-treated light paraffinic; Baseoil-unspecified	CAS No 64742-55-8	< 0.1	Acute Tox. 4 / H332 Asp. Tox. 1 / H304	
White mineral oil (petroleum)	CAS No 8042-47-5	< 0.1	Asp. Tox. 1 / H304	
Distillates (petroleum), solvent-dewaxed light paraffinic	CAS No 64742-56-9	< 0.1	Acute Tox. 4 / H332 Asp. Tox. 1 / H304	

Notes

N: The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Part 3.

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

4 First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

5 Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist, Fire extinguishing powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide if burning.

Interflon Lube PN68

Version number: 6.0
Replaces version of: 2025-03-27 (5)

date of issue
2025-03-27

Revision: 2025-03-27

Hazardous combustion products
Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Use suitable breathing apparatus.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Special danger of slipping by leaking/spilling product.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

7 Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink.

7.2 Conditions for safe storage, including any incompatibilities

Conditions of storage

Store in accordance with local/regional/national/international regulations. Keep container tightly closed and in a well-ventilated place.

Managing of associated risks

- Flammability hazards

Keep in a cool place.

7.3 Specific end use(s)

See section 16 for a general overview.

Interflon Lube PN68

Version number: 6.0
Replaces version of: 2025-03-27 (5)

date of issue
2025-03-27

Revision: 2025-03-27

8 Exposure controls/ Personal protection

8.1 Control parameters none

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
CA	mineral oil	8042-47-5	OEL (AB)		5		10			mist	OHS Code

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
mist	as mists
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
	time-weighted average (unless otherwise specified)

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
White mineral oil (petroleum)	8042-47-5	DNEL	164.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
White mineral oil (petroleum)	8042-47-5	DNEL	217.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

8.2 Exposure controls

General safety precautions

Do not breathe gas/vapor/spray. Wash hands after use.

Individual protection measures (personal protective equipment)

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

- Hand protection

Not applicable.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Not required.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Interflon Lube PN68Version number: 6.0
Replaces version of: 2025-03-27 (5)date of issue
2025-03-27

Revision: 2025-03-27

9 Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	liquid
Color	colorless
Odor	Like Oil
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	≥218 °C at 101.3 kPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	>110 °C
Auto-ignition temperature	≥325 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	68 cSt at 40 °C
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	<0.01 kPa at 20 °C
----------------	--------------------

Density and/or relative density

Density	0.88 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

Other safety characteristics

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equip-
--	---

Interflon Lube PN68Version number: 6.0
Replaces version of: 2025-03-27 (5)date of issue
2025-03-27

Revision: 2025-03-27

ment: 300°C)

10 Stability and reactivity**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers, Strong oxidizers

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

11 Toxicological information**11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), hy-drotreated light paraffinic; Baseoil-unspecified	64742-55-8	inhalation: vapour	11 mg _l /4h
Distillates (petroleum), hy-drotreated light paraffinic; Baseoil-unspecified	64742-55-8	inhalation: dust/mist	2.18 mg _l /4h
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	inhalation: vapour	11 mg _l /4h
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	inhalation: dust/mist	2.18 mg _l /4h
White mineral oil (petroleum)	8042-47-5	dermal	>2,000 mg/kg
White mineral oil (petroleum)	8042-47-5	inhalation: dust/mist	>5 mg _l /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Interflon Lube PN68

Version number: 6.0
Replaces version of: 2025-03-27 (5)

date of issue
2025-03-27

Revision: 2025-03-27

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

12 Ecological information**12.1 Toxicity****12.2 Persistence and degradability**

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

13 Disposal considerations**13.1 Waste treatment methods****Sewage disposal-relevant information**

Do not empty into drains.

Waste treatment of containers/packages

This article should be disposed of as hazardous waste. Please do not put it in your normal household waste. Dispose of this material and its container to hazardous or special waste collection point. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

14 Transport information

14.1 UN number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned

Interflon Lube PN68Version number: 6.0
Replaces version of: 2025-03-27 (5)date of issue
2025-03-27

Revision: 2025-03-27

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations**Transport information - National regulations - Additional information (UN RTDG)**

Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

15 Regulatory information**15.1 Safety, health and environmental regulations specific for the product in question****National regulations (United States)****Toxic Substance Control Act (TSCA)**

all ingredients are listed (ACTIVE) or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)**NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health

Interflon Lube PN68

Version number: 6.0
Replaces version of: 2025-03-27 (5)

date of issue
2025-03-27

Revision: 2025-03-27

Category	Rating	Description
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National regulations (Canada)

Domestic Substances List (DSL)

All ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

16 Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)

Interflon Lube PN68

Version number: 6.0
Replaces version of: 2025-03-27 (5)

date of issue
2025-03-27

Revision: 2025-03-27

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Hazardous Products Regulations (HPR)
SOR/2022-272: Regulations Amending the Hazardous Products Regulations (GHS, Seventh Revised Edition)
UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.