

acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

 Version number:
 Date of issue
 Revision:

 5.1
 2024-04-16
 2024-04-16.

Replaces version: 3:

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Interflon Foam Clean (Aerosol)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Scope cleaning agent

# 1.3 Details of the supplier of the safety data sheet

Interflon BV Belder 47 4704 RK Roosendaal Netherlands

Telephone: +31 (0)165 553911 e-mail: Service@Interflon.com Website: www.Interflon.com

e-mail (competent person) msds.za@interflon.com

### 1.4 Emergency telephone number

Poison centre			
Name	Street	City	Telephone
Bloemfontein Poison Control and Medicine Information Centre		Bloemfontein	+27 824 910 160

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	1	Aerosol 1	H222,H229

For full text of abbreviations: see SECTION 16.

# 2.2 Label elements

Labelling

- Signal word. danger

- Pictograms

GHS02



- Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

South Africa: en Page: 1 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16 Revision: 2024-04-16

#### - Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3 Other hazards

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

**Endocrine disrupting properties** 

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0,1%.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Product description

Mixture of solvents, surface-active substances and water

### Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Propane	CAS No 74-98-6	1 - < 5	Flam. Gas 1 / H220 Press. Gas L / H280	
Isopropanol	CAS No 67-63-0	1 - < 5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	
butane	CAS No 106-97-8	1 - < 5	Flam. Gas 1 / H220 Press. Gas C / H280	C(a) K(b)
1-methoxy-2-propanol	CAS No 107-98-2	1-<5	Flam. Liq. 3 / H226 STOT SE 3 / H336	GHS-HC IOELV

Notes

C(a): Mixture of isomers GHS-HC: Harmonised classif

GHŚ-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC,

Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

K(b): The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements

(P102-) P210-P403 should apply

### Regulation 648/2004/EC on detergents

Wt%	Constituents	Weight % content (or range)
≥5% - <15%	aliphatic hydrocarbons	5 % or over but less than 15 %

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

South Africa: en Page: 2 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

#### Revision: 2024-04-16

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water mist, Fire extinguishing powder

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Use suitable breathing apparatus.

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

South Africa: en Page: 3 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

#### Revision: 2024-04-16

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

# 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink.

# 7.2 Conditions for safe storage, including any incompatibilities

Conditions of storage

Store in accordance with local/regional/national/international regulations. Keep container tightly closed and in a well-ventilated place.

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight. Keep in a cool place.

Control of effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

# 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

South Africa: en Page: 4 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16 Revision: 2024-04-16

# Occupational exposure limit values (Workplace Exposure Limits)

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
ZA	butane	106-97-8	OEL (DME)	600	1,430	750	1,780				DME
ZA	n-butane	106-97-8	OEL (DoL)			2,000					OEL
ZA	propylene glycol monomethyl ether	107-98-2	OEL (DME)	100	370	150	550				DME
ZA	propylene glycol monomethyl ether	107-98-2	OEL (DoL)	100		200				Н	OEL
ZA	2-propanol (pro- pan-2-ol)	67-63-0	OEL (DoL)	400		800					OEL
ZA	isopropyl alcohol	67-63-0	OEL (DME)	400	960	500	1,225				DME
ZA	propane	74-98-6	OEL (DME)	1,000	1,800						DME

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

d absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

Biologic	al limit values					
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
ZA	(2-propanol)	acetone		BEI	40 mg/l	BEI

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Isopropanol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Isopropanol	67-63-0	DNEL	1,000 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
Isopropanol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
1-methoxy-2-propan- ol	107-98-2	DNEL	369 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
1-methoxy-2-propan- ol	107-98-2	DNEL	553.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
1-methoxy-2-propanol	107-98-2	DNEL	553.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

South Africa: en Page: 5 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16 Revision: 2024-04-16

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
1-methoxy-2-propan- ol	107-98-2	DNEL	183 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Isopropanol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Isopropanol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
Isopropanol	67-63-0	PNEC	2,251 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Isopropanol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
Isopropanol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
Isopropanol	67-63-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)
1-methoxy-2-propan- ol	107-98-2	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
1-methoxy-2-propan- ol	107-98-2	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
1-methoxy-2-propan- ol	107-98-2	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
1-methoxy-2-propan- ol	107-98-2	PNEC	52.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
1-methoxy-2-propan- ol	107-98-2	PNEC	5.2 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
1-methoxy-2-propan- ol	107-98-2	PNEC	4.59 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)

# 8.2 Exposure controls

## General safety precautions

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin and eyes.

Keep away from food, drink and animal feedingstuffs. Do not breathe gas/vapour/spray. Wash hands after use.

Individual protection measures (personal protective equipment)

Eye/face protection

Work with safety glasses.

South Africa: en Page: 6 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

#### Revision: 2024-04-16

#### Skin protection

#### - Hand protection

Wear protective gloves. Type of material. NBR: acrylonitrile-butadiene rubber. CR: chloroprene (chlorobutadiene) rubber. PVC: polyvinyl chloride.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state	liquid, gaseous (spray aerosol)
Colour	colourless
Odour	like ammonia
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	-44.5 °C
Flammability	flammable aerosol in accordance with GHS criteria
Lower and upper explosion limit	1.5 vol% - 13.7 vol%
Flash point	<97 °C
Auto-ignition temperature	287 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not relevant
Solubility(ies)	not determined

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

Vapour pressure	23 hPa at 20 °C
' '	

South Africa: en Page: 7 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16 Revision: 2024-04-16

### Density and/or relative density

Density	0.946 <sup>g</sup> / <sub>cm³</sub> at 20 °C	
Relative vapour density	information on this property is not available	

Particle characteristics not relevant (aerosol)	Particle characteristics	not relevant (aerosol)
---	--------------------------	------------------------

#### 9.2 Other information

Information with regard to physical hazard classes

#### Aerosols

- Components (flammable)	16.98 % 16.98 % by mass of the contents are flammable	
Other safety characteristics	there is no additional information	

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

# 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

South Africa: en Page: 8 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16 Revision: 2024-04-16

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0,1%.

### 12.7 Other adverse effects

Data are not available.

South Africa: en Page: 9 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

Revision: 2024-04-16

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. This article should be disposed of as hazardous waste. Please do not put it in your normal household waste. Dispose of this material and its container to hazardous or special waste collection point. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

UN 1950
IMDG-Code UN 1950
ICAO-TI UN 1950

14.2 UN proper shipping name

UN RTDG AEROSOLS
IMDG-Code AEROSOLS

ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es)

UN RTDG 2.1 IMDG-Code 2.1 ICAO-TI 2.1

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## **Information for each of the UN Model Regulations**

South Africa: en Page: 10 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

Revision: 2024-04-16

# Transport information - National regulations - Additional information (UN RTDG)

UN number 1950
Class 2.1
Danger label(s) 2.1



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959 (UN RTDG)

Excepted quantities (EQ) E0 (UN RTDG)
Limited quantities (LQ) 1 L (UN RTDG)

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 2.1



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 2.1



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

### **National inventories**

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed

South Africa: en Page: 11 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3)

Country

JΡ

JP

KR

MX

ΝZ

PH

TR

TW

date of issue 2024-04-16

**Status** all ingredients are listed not all ingredients are listed all ingredients are listed all ingredients are listed all ingredients are listed all ingredients are listed

not all ingredients are listed

all ingredients are listed

Revision: 2024-04-16

Legend

AIIC Australian Inventory of Industrial Chemicals CICR

Inventory

**CSCL-ENCS** 

**ISHA-ENCS** 

KECI

**INSQ** 

NZIoC

**PICCS** 

CICR

**TCSI** 

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS) CSCL-ENCS

DSL

**ECSI** 

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

Korea Existing Chemicals Inventory KECI NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. REACH registered substances Taiwan Chemical Substance Inventory TCSI

**TSCA** Toxic Substance Control Act

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.3	e-mail (competent person): Service@interflon.com (Service lab)	e-mail (competent person): msds.za@interflon.com	yes
1.4		Poison centre: change in the listing (table)	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	- Signal word. warning	- Signal word. danger	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes

South Africa: en Page: 12 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

Revision: 2024-04-16

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
3.2		Hazardous ingredients: change in the listing (table)	yes
3.2	Regulation 648/2004/EC on detergents		yes
3.2		Regulation 648/2004/EC on detergents: change in the listing (table)	yes
3.2		Regulation 648/2004/EC on detergents: change in the listing (table)	yes
5.2	Hazardous combustion products: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)	Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO2)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Biological limit values: change in the listing (table)	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
8.2	Eye/face protection: Use safety goggle with side protection.	Eye/face protection: Work with safety glasses.	yes
8.2	Respiratory protection: Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).	Respiratory protection: [In case of inadequate ventilation] wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).	yes
9.1	Boiling point or initial boiling point and boiling range: 78 – 199°C	Boiling point or initial boiling point and boiling range: -44.5 °C	yes
9.1	Lower and upper explosion limit: 1.3 vol% - 12 vol%	Lower and upper explosion limit: 1.5 vol% - 13.7 vol%	yes
9.1	Flash point: <0 °C	Flash point: <97 °C	yes
9.1	Auto-ignition temperature: 207 °C (auto-ignition temperature (liquids and gases))	Auto-ignition temperature: 287 °C (auto-ignition temperature (liquids and gases))	yes
9.1	pH (value): 10.4 (in aqueous solution: 100 % ( <sup>w</sup> / <sub>w</sub> ), 20 °C)	pH (value): not determined	yes
9.1	Vapour pressure: 4,000 hPa at 20 °C	Vapour pressure: 23 hPa at 20 °C	yes
9.1	Density: 0.93 <sup>g</sup> / <sub>cm³</sub> at 20 °C	Density: 0.946 <sup>g</sup> / <sub>cm³</sub> at 20 °C	yes
9.2	Components (flammable): 10.1 %	Components (flammable): 16.98 % 16.98 % by mass of the contents are flammable	yes

South Africa: en Page: 13 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

Revision: 2024-04-16

yes

Section Former entry (text/value) Actual entry (text/value) Safety-relevánt 12.5 Results of PBT and vPvB assessment: Results of PBT and vPvB assessment: yes Data are not available. This mixture does not contain any substances that are assessed to be a PBT or a vPvB. Endocrine disrupting properties: 12.6 Endocrine disrupting properties: yes None of the ingredients are listed. Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0,1%. Sewage disposal-relevant information: 13.1 Sewage disposal-relevant information: yes Do not empty into drains. Avoid release to the en-Do not empty into drains. vironment. Refer to special instructions/safety data sheets. 13.1 Waste treatment of containers/packagings: Waste treatment of containers/packagings: ves Only packagings which are approved (e.g. acc. to Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. the Dangerous Goods Regulations) may be used. This article should be disposed of as hazardous Completely emptied packages can be recycled. Handle contaminated packages in the same way waste. Please do not put it in your normal houseas the substance itself. hold waste. Dispose of this material and its container to hazardous or special waste collection point. Handle contaminated packages in the same way as the substance itself. 13.1 Relevant provisions relating to waste (Basel Conyes vention) 13.1 Properties of waste which render it hazardous: yes change in the listing (table) 15.1 National inventories: yes change in the listing (table) 16 Abbreviations and acronyms: yes change in the listing (table) 16 List of relevant phrases (code and full text as List of relevant phrases (code and full text as ves

### Abbreviations and acronyms

16

stated in chapter 2 and 3)

Abbr.	Descriptions of used abbreviations
BEI	Regulations for Hazardous Chemical Agents, 2021
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DME	Department of Minerals and Energy: Mine Health and Safety Act, 1996 (Occupational Exposure Limits for Airborne Pollutants)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

stated in section 2 and 3)
List of relevant phrases (code and full text as

stated in section 2 and 3): change in the listing (table)

South Africa: en Page: 14 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

Revision: 2024-04-16

Abbr. **Descriptions of used abbreviations** Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Flam. Gas Flammable gas Flam. Liq. Flammable liquid GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA **International Air Transport Association** IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) **ICAO** International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air **IMDG** International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code NLP No-Longer Polymer OEL Occupational Exposure Limit **PBT** Persistent, Bioaccumulative and Toxic **Predicted No-Effect Concentration PNEC** ppm Parts per million Press. Gas Gas under pressure STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure T\//A Time-weighted average

#### Key literature references and sources for data

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

UN Recommendations on the Transport of Dangerous Good

Very Persistent and very Bioaccumulative

#### Classification procedure

**UN RTDG** 

vPvB

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.

South Africa: en Page: 15 / 16



acc. to GHS of the United Nations, annex 4

# **Interflon Foam Clean (Aerosol)**

Version number: 5.1 Replaces version of: 2017-10-16 (3) date of issue 2024-04-16

Revision: 2024-04-16

Code	Text
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

South Africa: en Page: 16 / 16